

SUN KIT UNIVERSAL ADD-A-ROOM



COMPLETE ADD-A-ROOM

The add-a-room measures 18" less than the length of the awning.

<u>Prod. No.</u>	<u>Awning length</u>	<u>Description</u> <u>Add-a-room length</u>	<u>Retail</u>
225K0076	9'	SunKit 7'6"	917,13\$
225K0086	10'	SunKit 8'6"	1020,30\$
225K0096	11'	SunKit 9'6"	1032,90\$
225K0106	12'	SunKit 10'6"	1047,30\$
225K0116	13'	SunKit 11'6"	1061,96\$
225K0126	14'	SunKit 12'6"	1165,13\$
225K0136	15'	SunKit 13'6"	1177,47\$
225K0146	16'	SunKit 14'6"	1192,13\$
225K0156	17'	SunKit 15'6"	1206,78\$
225K0166	18'	SunKit 16'6"	1307,64\$
225K0176	19'	SunKit 17'6"	1322,30\$
225K0186	20'	SunKit 18'6"	1336,95\$
225K0196	21'	SunKit 19'6"	1351,61\$
225K0206	22'	SunKit 20'6"	1452,47\$
225K0216	23'	SunKit 21'6"	1467,12\$
225K0226	24'	SunKit 22'6"	1481,78\$
225K0236	25'	SunKit 23'6"	1496,43\$

Important: A minimum of 7" is required from top of trailer door to awning rail, otherwise you must order the custom built add-a-room.

Individual parts*

<u>Prod. No.</u>	<u>Description</u>	<u>Retail</u>
225K1200-L	Left wall	316,71\$
225K1200-LD	Left wall with door	411,57\$
225K1200-R	Right wall	316,71\$
225K1200-RD	Right wall with door	411,57\$
225K1454	Wall 54"	135,57\$
225K1448	Wall 48"	129,57\$
225K1436	Wall 36"	117,57\$
225K1424	Wall 24"	105,57\$
225K1412	Wall 12"	94,57\$
225K1590	Skirt 90"	20,71\$
225K1554	Skirt 54"	16,14\$
225K1548	Skirt 48"	15,43\$
225K1536	Skirt 36"	12,43\$
225K1524	Skirt 24"	10,29\$
225K1512	Skirt 12"	8,71\$
225K1100	Skirting	10,43\$
225K-1960	Bilingual installation DVD	



Some of the advantages:

- The height of the add-a-room from awning rail to ground is adjustable from 93" minimum to 129" maximum thanks to the 5 adjustment pockets.
- Bilingual installation DVD included with the left wall.
- Available with an aluminium door as an option (see page 21)
- Assembly kit for front or side aluminium doors are sold separately (see page 23.)
- Front walls are completely interchangeable.
- No waiting period, the product is ready for consumption.
- All walls are white with tinted vinyl windows.
- Pipes supplied: 2 x #1, 2 x #11 and 2 x #15 in order to well fasten the add-a-room to the awning and trailer.
- Optional #1 pipes for front of room (See page 23) and curved rafters for roof (See page 25).

*Each component of the Sun Kit add-a-room comes in separate packages with the necessary installation accessories.



DISPLAY
Purchase a Sun Kit display and have our loop video demonstrate the product in your store all day

SUN KIT OPTIONS AND ACCESSORIES

Options and accessories for Sun Kit add-a-room

Prod. No.	Description	Retail
1245034E	Econo Aluminium door tinted (1 pce) 74 1/2"	302,32\$
1245014E	Econo Aluminium door tinted (2 pces)	372,02\$
1245014	Aluminium door White (2 pces)	472,19\$
225K1800	Ass'y kit for front aluminium door	125,29\$
225K1850	Ass'y kit for side aluminium door	125,29\$
215K-1950	Sun Kit display	N/A




Parts

Prod. No.	Description	Retail
215K1600	Set of pipe #11 - #15	26,43\$
215K1601	Adjustable pipe 54" to 104"	38,00\$
215K1602	Adjustable pipe 64" to 124"	40,08\$
215K1603	Adjustable pipe 74" to 144"	42,26\$
121024	Receptacle (pack 6)	8,84\$
225K1700	Sun Kit stuffed foam 126"	120,89\$




Sun Kit add-a-room

Add-a-room size	PARTS LIST											
	LEFT SIDE WALL	RIGHT SIDE WALL	WALL 54"	WALL 48"	WALL 36"	WALL 24"	WALL 12"	SKIRT 90"	SKIRT 48"	SKIRT 36"	SKIRT 24"	SKIRT 12"
7'6"	1	1	1	1			1					1
8'6"	1	1	1	1		1	1				1	1
9'6"	1	1	1		1	1	1			1		1
10'6"	1	1	1		2		1		1			1
11'6"	1	1	1	1	1		1	1				1
12'6"	1	1	1	1	1		1	1			1	1
13'6"	1	1	1		3		1		2			1
14'6"	1	1	1	1	2		1	1	1			1
15'6"	1	1	1	2	1		1	2				1
16'6"	1	1	1		4		1		3			1
17'6"	1	1	1	1	3		1	1	2			1
18'6"	1	1	1	2	2		1	2	1			1
19'6"	1	1	1	3	1		1	3				1
20'6"	1	1	1	1	4		1	1	3			1
21'6"	1	1	1	2	3		1	2	2			1
22'6"	1	1	1	3	2		1	3	1			1
23'6"	1	1	1	4	1		1	4				1



Econo Aluminium door tinted (1 pce) # 1245034E



Econo Aluminium door tinted (2 pces) # 1245014E



The Sun Kit universal add-a-room is sale ready, requires very small inventories and yet can fill any of your customers size requirements. When you order a side ass'y kit for aluminium door, be sure to mention in which end (right or left) the door will be located. Please note when you choose the front aluminium door option, we will remove a 36" wall from your room stock because this wall is replaced by the door and the front door assembly kit.

SUN KIT UNIVERSAL ADD-A-ROOM

Custom made to fit the A&E and Carefree electric awnings.

NEW



The side walls will be adjusted to the required slope, height and projection.

COMPLETE ADD_A_ROOM

The add-a-room measures 18" less than the length of the awning.

Prod. No.	Awning length	Description Add-a-room length	Retail
225K0076	9'	SunKit 7'6"	917,13\$
225K0086	10'	SunKit 8'6"	1020,30\$
225K0096	11'	SunKit 9'6"	1032,90\$
225K0106	12'	SunKit 10'6"	1047,30\$
225K0116	13'	SunKit 11'6"	1061,96\$
225K0126	14'	SunKit 12'6"	1165,13\$
225K0136	15'	SunKit 13'6"	1177,47\$
225K0146	16'	SunKit 14'6"	1192,13\$
225K0156	17'	SunKit 15'6"	1206,78\$
225K0166	18'	SunKit 16'6"	1307,64\$
225K0176	19'	SunKit 17'6"	1322,30\$
225K0186	20'	SunKit 18'6"	1336,95\$
225K0196	21'	SunKit 19'6"	1351,61\$
225K0206	22'	SunKit 20'6"	1452,47\$
225K0216	23'	SunKit 21'6"	1467,12\$
225K0226	24'	SunKit 22'6"	1481,78\$
225K0236	25'	SunKit 23'6"	1496,43\$

Option. Right and left ends for electric awning.
Cost only to modify right and left ends.

Prod. No.	Description	Retail
295K1200-L	Modified left wall	71,42\$
295K1200-LD	Modified left wall with door	71,42\$
295K1200-R	Modified right wall	71,42\$
295K1200-RD	Modified right wall with door	71,42\$

When ordering this add-a-room, you will need to supply us, besides the usual information, the following details:

The height from awning rail to patio, the height from the awning roller tube groove to the patio and the projection from awning roller tube to trailer.

Order the complete add-a-room.

Order one modified left wall option.

Order one modified right wall option.

All together you will have the new Sun Kit add-a-room for electric awnings.


See Fig. 1 and 1A for details.

TECHNIQUE

Any electrical or manual device permitting to operate automatically the awning must be deactivated when an add-a-room is installed on this type of awning.

We strongly recommend to add the curved rafters.

Awning roller tube must be positioned as illustrated in figure 1A.
FOR ELECTRIC AWNING ONLY.



A= Height rail to patio
B= Projection
C= Height awning roller tube to patio. See Fig. 1A.

Fig. 1A.

